

MATERIAL SAFETY DATA SHEET

Issued By: Rock 'N' Roll Music Pty Ltd

PRODUCT NAME: Rockard
PRODUCT CODE: 332

Not Classified As Hazardous According To Criteria of Worksafe Australia.

This MSDS summarises to the best of our knowledge the health and safety hazard information of the product and how to safely handle and use the product in the workplace.

COMPANY DETAILS

Company Name: Rock 'N' Roll Music Pty Ltd
Address: Box 59 Woodbine St North Balgowlah NSW 2093
Telephone Number: +61 2 9400 2372
Emergency Number: +61 2 9400 2372
Fax Number: +61 2 9948 9336

IDENTIFICATION

Product Name: Rockard
Manufacturer's Product Code: 332
UN Number: None Allocated
Dangerous Goods Class: None Allocated
Hazchem Code: None Allocated
Poisons Schedule: None Allocated
Packaging Group: None Allocated

USE:

Recommended Uses: Non-blocking coating for sound systems.
Methods of Application: Brush, roller or airless spray.

PHYSICAL DESCRIPTION / PROPERTIES

Appearance: Black or Coloured Viscous Liquid
Boiling Point: 100°C (water)
Specific Gravity: 1.2 - 1.6
Flashpoint: Not Applicable
Flammability Limits: Not Flammable Under Conditions of Use
Solubility in Water: Dispersible

OTHER PROPERTIES:

Corrosiveness:
PH: 8.2 - 9.6

INGREDIENTS: CAS NO: PROPORTION:

Ammonia: 7664-41-7 <1.0%

HEALTH HAZARD INFORMATION

HEALTH EFFECTS

Acute:

Swallowed:	Swallowing may have the following effects: irritation of mouth, throat and digestive tract. Possibility of asphyxiation. No serious poisoning hazard expected.
Eye:	Liquid may cause eye irritation.
Skin:	Prolonged contact may cause mild irritation, seek medical advice if necessary.
Inhaled:	Exposure to vapour at high concentrations may have the following effects: headache, muscular weakness, drowsiness and nausea.
Chronic:	Long-term exposure may lead to sensitising effects. Provide ventilation during use.

FIRST AID

Swallowed:	Wash out mouth with water. Do not induce vomiting. Drink plenty of water. Keep warm and at rest. If breathing stops or shows signs of failing, apply artificial respiration. Obtain medical attention immediately.
Eye:	Immediately flood the eye with plenty of water for at least 15 minutes, holding the eye open. Do not attempt to remove contact lenses unless trained. Obtain medical attention if irritation continues after washing.
Skin:	Wash skin with water. Contaminated clothing should be washed or dry-cleaned before re-use. Obtain medical attention if any irritation continues after washing.
Inhaled:	Remove from exposure. Keep warm and at rest. If breathing stops or shows signs of failing, give artificial respiration. Obtain medical attention immediately.
First Aid Facilities:	Provide ready access to running water and first aid kit.

ADVICE TO DOCTOR

Show this Material Safety Data Sheet to a medical practitioner.
Treat symptomatically.

PRECAUTIONS FOR USE

Exposure Limits:	Pigments / Extenders:	TLV 200mg/M3
Engineering Controls:	Use in well ventilated areas. Exposure to this material may be controlled in a number of ways. The measures appropriate for a particular worksite depend on how the material is used and on the potential for exposure. Engineering methods to prevent or control exposure are preferred. Methods include process or personnel enclosure, mechanical ventilation (dilution and local exhaust), and control of process conditions. Keep product sealed and away from work place when possible. If engineering controls and work practices are not effective in preventing or controlling exposure, then suitable personal protective equipment, which is known to perform satisfactorily, should be used.	

PERSONAL PROTECTION

Respiratory Protection:	Wear respiratory protection if there is a risk of exposure to high vapour concentrations. Respirators should comply with Australian Standards 1716.
Hand Protection:	Wear chemical resistant gloves.
Eye Protection:	Wear chemical goggles or face shield.
Body Protection:	Wear long sleeved protective work clothing.
Foot Wear:	Wear work boots or shoes.
Ventilation:	Use in well ventilated areas.
Other:	Always wash hands before smoking, eating, drinking or using the bathroom.

This information may not be relevant for emergency service situations.

FLAMMABILITY - NOT FLAMMABLE

Fire Hazards:	Dry film only may be ignited
---------------	------------------------------

SAFETY

Keep out of reach of children
Provide adequate ventilation

SAFE HANDLING INFORMATION

Storage and Transport:

Storage:	Not classified as Dangerous Goods for storage. Keep out of sunlight and protect from weather and corrosive substances. Protect product from frost. Containers should always be kept closed in storage and properly labelled.
Transport:	Not classified as Dangerous Goods for transport.

Spills and Disposal:

Spills:	Dike and contain spill with earth or sand. Prevent run off into drains, sewer or waterways. Increase ventilation. MINOR: Absorb the liquid with sand, earth or other inert Absorbent material. After recovery transfer material to suitable, sealable and labelled containers ready for disposal. MAJOR: Take up liquid with inert absorbent material such as sand, earth, vermiculite. After recovery transfer material to suitable, sealable and labelled containers ready for disposal.
Disposal Method:	Product: Dispose of in accordance with all Local, State and Federal regulations. Container: Do not remove labels. Prevent the material from entering the drains and waterways. Advise authorities if spillage has entered waterways or sewer or has contaminated soil or vegetation.
Environmental:	Prevent the material from entering the drains / waterways. Advise authorities if spillage has entered waterways or sewer or has contaminated soil or vegetation. Do not flush drains or waterways.

Fire/Explosion Hazard:

Dangerous Decomposition or Combustion Products:	Combustion will generate oxides of carbon and possibly nitrogen.
Fire Fighting Recommendations & Types of Extinguishers: (Dry Film Ignition)	Extinguishing Media: Use alcohol-resistant foam, dry chemical or carbon dioxide. Keep containers and surroundings cool with water spray. Do not use water jet for fire fighting. Protective Equipment For Fire fighting: Wear self-contained breathing apparatus and protective clothing.
Precautions / Reactivity:	Stable under normal conditions. Reacts vigorously with oxidising agents. Materials To Avoid: Oxidising agents.

CONTACT POINT

Neil Smith
Rock 'N' Roll Music Pty Ltd
Box 59 Woodbine St Nth Balgowlah 2093
Tel: +61 2 9400 2372
24 Hr: +61 2 9400 2372

This data sheet and health, safety and the environmental information it contains is considered to be accurate at the specified Issue Date. We have reviewed any information contained herein which we received from sources outside Rock 'N' Roll Music Pty Ltd. However, no warranty or recommendation, expressed or implied, is made as to the accuracy or completeness of the data and information contained in this data sheet. Health and safety precautions and environmental advice noted in this data sheet may not be accurate for all individuals and / or situations. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as a permission, recommendation or authorisation given or implied to practise any patented invention without a valid licence. Rock 'N' Roll Music Pty Ltd shall not be responsible for any damage or injury from abnormal use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material.

Material Safety Data Sheets are frequently updated. Please ensure you have a current copy.

End Of MSDS Report.
Updated: March 2002